



UNIVERSAL BELTING RESOURCE

Industrial Lightweight Belting

Polyurethane (PU)

Item Number	UBR number	Previous Description	Ply's	Hardness Shore A	Cover Thickness (mm)	OAT (mm)	Slab Width (mm)	Tension (N/mm)	Operating Temp (°C)	Weight (kg/m ²)	Min Pulley (mm)
Non-Fray											
130200	U92/2ENF G White	TT12 Gloss White	2	92	0.20	1.30	3200	6	-20/100	1.4	12
130201	U92/2ENF-AS G White	TT12 AS Gloss White	2	92	0.20	1.30	3200	6	-20/100	1.4	12
130206	U92/2ENF-AS M Blue	TT12 AS Matt Blue	2	92	0.20	1.30	3200	6	-20/100	1.4	12
130210	U92/2ENF M White	TT12 Matt White	2	92	0.20	1.30	3200	6	-20/100	1.4	12
130230	U92/2ENF-AS M Gray	TT12 AS Matt Gray	2	92	0.20	1.30	3200	6	-20/100	1.3	12
130235	U92/2ENF-AS M White	TT12 AS Matt White	2	92	0.20	1.30	3200	6	-20/100	1.4	12
130245	U-SI/2ENF UR M White	TT12/HR	2	85	0.45	1.80	3200	6	-20/100	1.8	20
130251	U85/2ENF-AS G White	TT12 U AS Gloss White	2	85	0.20	1.30	3200	6	-30/100	1.4	15
130265	U85/2KENF G White	TT173/U White	2	85	0.40	2.20	3200	4	-30/100	2.5	10
130601	UU85/2ENF NPY M Blue	TT162 Blue	2	85	0.20	2.00	3200	6	-20/100	2.1	30
130606	UU85/2ENF NPY M White	TT162 White	2	85	0.20	2.00	3200	6	-20/100	2.1	30
100130	U-SI/1ENF UR M White	T100/HR Matt White	1	85	0.60	1.20	3200	6	-20/100	1.2	8
AM Plus											
130401	AM-U92/2ENF-AS M Blue	TT12 AM Plus Matt Blue	2	92	0.20	1.30	3200	6	-20/100	1.3	12
130406	AM-U92/2ENF-AS G WH	TT12 AM Plus Gloss White	2	92	0.20	1.30	3200	6	-20/100	1.4	12
130600	AM-UU85/2ENF NPY M Blue	TT162 AM Plus Matt Blue	2	85	0.20	2.00	3200	6	-20/100	2.1	30
130605	AM-UU85/2ENF NPY M White	TT162AM Plus Matt White	2	85	0.20	2.00	3200	6	-20/100	2.1	30
100212	U92/2E AM Plus Matt Blue	TT140 AM Plus Matt Blue	2	92	0.20	1.30	3183	6	-20/100	1.4	8
Covered Monofilaments											
100100	U85/1E G Amber	T04 Gloss Amber	1	85	0.20	0.75	3061	4	-30/100	0.75	6
100107	U85/1E G Dark Green	T04 Dark Green Gloss	1	85	0.20	0.70	2970	4	-30/100	0.8	6
100119	U85/1E-AS G White	XNA-080	1	85	0.20	0.60	3200	3	-30/100	0.65	6
100120	U85/1E G White	T04U Gloss White	1	85	0.20	0.80	3200	3	-30/100	0.85	6
100121	U85/1E M White	T04U Matt White	1	85	0.20	0.60	3083	3	-30/100	0.6	4
100122	U85/1E-AS M White	T04U/AS Matt White	1	85	0.20	0.60	3178	3	-30/100	0.65	4
100127	U85/1E Matt Blue	N/A	1	85	0.20	0.60	3000	3	-30/80	0.6	8
100129	U85-EX/1E AS M White	N/A	1	85	0.30	1.15	3000	5	-20/90	1.1	8
100210	U92/2E M White	TT140 Matt White	2	92	0.20	1.30	3200	6	-20/100	1.4	8
100211	U92/2E Matt Blue	TT140 Matt Blue	2	92	0.20	1.30	3200	6	-20/100	1.4	8
100225	U85/2E-AS M Green	TT140AS Matt Green	2	85	0.20	1.40	3092	6	-30/100	1.6	8
100230	U92/2E-AS M White	TT140AS Matt White	2	92	0.20	1.40	3200	6	-20/100	1.5	8
100231	U85/2E-AS G White	TT140 U AS Gloss White	2	85	0.20	1.40	3150	6	-30/100	1.5	8
100232	U85/2E G White	TT140U Gloss White	2	85	0.20	1.45	2200	6	-30/100	1.6	8
100233	U85/2E-AS Matt White	TT140 U AS Matt White	2	85	0.20	1.40	3200	6	-20/100	1.4	8
100234	U85/2E Matt White	TT140U Matt White	2	85	0.20	1.4	3100	6	-30/100	1.45	8
100254	U92/2E-AS Matt Clear	TT191ASH Clear Matt	2	92	0.50	1.85	2700	6	-20/100	2	30
100255	U92/2E-AS Gloss Clear	TT191/ASH Clear	2	92	0.50	1.85	3200	6	-20/100	2	30
100257	U92 XH/2EX AS Clear Gloss	N/A	2	92	1.50	3.70	2540	6	-10/70	4.2	100
100405	UU85/2E-AS Matt/Gloss White	N/A	2	85	0.20	1.50	3200	6	-20/100	1.6	30
100270	U92/2EXH M White	TT160 Matt White	2	92	0.20	1.50	3019	11	-20/100	1.5	25
100500	U92/3E G White	3T30	3	92	0.20	2.20	3000	12	-20/90	2.4	100
120240	UU92/2E RG M Blue	108HRG	2	92	0.25	1.8	2000	11	-40/90	2.0	25
140305	U85/1EC G White	T15/PX	1	85	0.15	1.15	3200	3	-30/100	1.0	8



UNIVERSAL BELTING RESOURCE

Industrial Lightweight Belting

Polyurethane (PU)

Item Number	UBR number	Previous Description	Ply's	Hardness Shore A	Cover Thickness (mm)	OAT (mm)	Slab Width (mm)	Tension (N/mm)	Operating Temp (°C)	Weight (kg/m ²)	Min Pulley (mm)
Bare/Friction Coated Mono-Fabrics											
100260	U0/2E White/Green	TT59	2	N/A	N/A	1.15	3200	6	-20/100	1	20
100605	U0/1E Green	T05JC Green	1	N/A	N/A	0.40	2200	3	-30/100	0.3	10
100715	U0/2E-AS Gray	TT120/X/AS Black	2	N/A	N/A	1.45	3200	10	-20/100	1.4	25
100720	U0/2E-AS G Clear	TT120AS	2	N/A	N/A	1.00	3200	4	-20/100	1	6
100721	U0/2E-AS G Blue	N/A	2	N/A	N/A	0.95	3200	4	-20/100	0.9	6
100740	U0/2E-AS M White	104AS	2	N/A	N/A	1.30	3000	8	-20/90	1.4	10
140210	U0/1EE White	T22/CC White	1	N/A	N/A	2.20	2500	8	-30/100	1.9	15
Bare/Friction Coated Spun-Fabrics											
110305	U0/2ES-0 White	ST200 FxB White	2	N/A	N/A	1.30	3200	6	-30/80	1.2	10
110310	U0/2ES White	ST200 FxF White	2	N/A	N/A	1.30	3169	6	-30/80	1.2	10
110315	02/ES-0 White Rib	N/A	2	N/A	N/A	2.00	3200	5	-30/100	1.9	10
110400	U0/3ES White Rib	ST300 BxB Rib White	3	N/A	N/A	2.50	3080	8	-30/80	2.6	50
Covered Spun Fabrics											
110100	U85/1 ES M White	ST100/U Matt White	1	85	0.20	0.90	3200	4	-30/100	0.9	6
110200	U85/2ES M White	ST200/U Matt White	2	85	0.20	1.65	3150	6	-30/80	1.75	10
110210	U-SI/2ES UR M White	ST200HR Matt White	2	85	0.45	1.60	3200	8	-20/100	1.7	10
110215	U85/2ES White Gloss	ST200 U Gloss White	2	85	0.20	1.65	3100	6	-30/80	1.75	10
110220	U85/2ES Light Green Matt	N/A	2	85	0.20	1.65	3200	6	-30/80	1.75	10
110225	U85/2ES M Cobalt Blue	N/A	2	85	0.30	1.65	3000	8	-30/90	1.8	10
110700	UU92/2ES NPY Gloss LT Blue	N/A	2	92	0.30	2.20	3169	6	-20/100	2.3	25
Profile Covers											
120100	U85/2E White NPW	T/NPW Knobby Top	2	85	0.50	2.30	2000	8	-20/80	1.8	15
120105	U85/1E Amber HARQ	T04 Amber Emboss	1	85	0.20	0.80	1575	3	-30/100	0.8	8
120110	U85/1E-AS White HB	T11/U Heartbeat	1	85	0.20	0.90	2000	4	-20/80	0.9	10
120216	U85/2E AS White NPY	TT140 F AS Neg. Pyr.	2	85	0.60	1.55	3121	6	-30/100	1.5	25
120218	UX92/2E AS LSQ White	N/A	2	92	0.50	1.70	3000	8	-20/90	1.7	20
120221	U85/2E White Rib	TT140 U LR	2	85	0.90	1.90	1700	7	-20/100	1.9	25
120225	U85/2E White RTP	TT20/RP	2	85	0.40	2.20	3000	8	-10/80	2.1	20
120230	U85/2E/LT White	N/A	2	85	0.50	2.30	3000	8	-20/90	2.7	25
Cotton Fabrics											
100805	U0/2EC Green/White	TC13NM	2	N/A	N/A	1.30	3200	4	-20/100	1.1	8
140100	0/2C-0 Cotton Fine	212 TCW	2	N/A	N/A	1.50	3150	4	-20/100	1.4	8
140300	0/1EC White	DC235RM	1	N/A	N/A	1.25	2870	2	-30/80	0.6	6
140301	0/1EC Natural	XNA-064	1	N/A	N/A	0.90	2327	2	-10/80	0.7	6
Other Constructions											
310100	NR/2E-AS Green	TT23/AS/GPR GR	2	70	1.00	2.30	1800	12	-20/100	2.3	50
320100	SI/1E-AS G White	T063 White	1	30	0.30	1.10	3080	3	-30/100	1.05	8
320200	SI/2E AS G White	TT133 White	2	65	0.30	1.80	3000	8	-20/120	1.9	20
320205	SI/2E AS G Blue	TT133/AS Blue	2	30	0.15	1.20	2000	9	-10/80	1.5	10
330219	P92/2 KENF AS Blue Matt	N/A	2	92	0.20	1.10	3000	4	-40/60	1	6
330221	P92/2 KENF AS White Matt	XNA-081	2	92	0.20	1.10	3000	4	-40/60	1	6
330222	A92/2 ENF AS Matt Cobalt Blue	N/A	2	92	0.20	2.00	3200	7	-10/60	1.9	40



UNIVERSAL BELTING RESOURCE

Industrial Lightweight Belting

UBR PU Range Nomenclature Example

AM-UU92/2ENF-AS NPY M Blue

